

COMMUNICATING WITH TRAUMATISED CHILDREN

Patrick Tomlinson

2014

(A longer version on the same subject can be found in the Good Enough Caring Journal @ goodenoughcaring.com. and on the Dyadic Developmental Psychotherapy website @ <http://ddpnetwork.org/library/communicating-traumatised-children/>)

COMMUNICATING WITH TRAUMATISED CHILDREN

Patrick Tomlinson

Authors Note: For the sake of economy the male gender is used. Though much of the paper is relevant to young people, the words child and children are also used for the same reason.

Abstract: *Communicating with a child is the most important task in facilitating healthy child development. This begins from birth and progresses and develops as the child matures. Often the communication is a joyful process with mutual satisfaction. The process can also be challenging at times for the caregiver and child, and how they work through the challenges together is an important part of the development process. When a child is traumatised, perhaps not surprisingly, as trauma has been referred to as 'Speechless Terror', communication can become extremely difficult. This paper will begin by exploring the nature of trauma and how it impacts on child development. It will explore some of the central themes of working with a traumatised child, especially different aspects of communication. Understanding and responding creatively to the child's needs is key to restoring the child's development and recovery from trauma.*

The Impact of Trauma on Child Development

Trauma is like an emotional shock – an experience that is too overwhelming to process during or immediately after the traumatic event or situation. Normally, with support and over time the person naturally recovers from trauma and is able to integrate their traumatic experience as part of their personal history. The trauma becomes a memory that can be thought of and described. When someone is traumatised as in PTSD, instead of a conscious memory the trauma continues to exist in the present as physical sensations, such as fear, panic and rage. The person may not be able to connect these feelings to anything that has happened. Such disturbing sensations and feelings become a threat in themselves, so all aspects of everyday life are organised to avoid situations that may trigger them.

Trauma during the early years can be particularly damaging because the child's brain is not fully developed – therefore the natural development process can also be disrupted and distorted. Trauma alters patterns in the brain. Chemicals such

as adrenaline and cortisone are produced in excess, initially as a necessary survival response i.e. to prepare a person's body to take flight from the threat. Trauma that is repeated over time, often in many different forms, such as physical, emotional and sexual abuse, as well as neglect – becomes what is known as complex trauma. This can have a profound effect on a child's psychological, biological and social functioning.

When this happens the changes that take place in the brain tend to become a fixed rather than a temporary response. Development goes on hold as the brain becomes unbalanced and constantly in survival mode. If a child is hypervigilant, constantly anxious, ready to fight or take flight, or alternatively 'watchfully frozen' to become invisible – he is unable to receive nurturing care and other experiences, which foster development. While there is an increased sensitivity to reminders of the trauma, there is at the same time a decreased sensitivity and interest in ordinary everyday life. This de-sensitivity along with extreme reactions to reminders of trauma can cause many secondary adversities to occur, such as difficulties in;

- relationships and attachment.
- getting on with peers.
- sleeping and relaxation - due to fear, hypervigilance and nightmares.
- healthy eating and nutrition.
- concentration and memory problems.
- imagination and play.
- having fun and ordinary enjoyable experiences.
- recognising a variety of ordinary feelings.
- education and learning from experience.
- self-esteem, especially to do with strong feelings of shame associated with the trauma.

These secondary adversities along with the original trauma combine to create a vicious spiral that can lead to all manner of psychological and physical disorders.

Difficulty with Feelings

One of the major adversities suffered by traumatised children is to do with their own feelings. The child is likely to have strong reactions to anything associated with his trauma. He might appear to be very emotional and sometimes violently

so. Having frequent strong emotional reactions is exhausting and stressful in many ways. The child may not know what has caused his reaction – it may have been a sound, a smell, a tone of voice, the time of day or anything associated unconsciously with the trauma. This is why extreme reactions such as rage, often appear to come ‘out of the blue’. These experiences are often frightening and surprising to the child, which then makes him anxious about it happening again. He becomes pre-occupied with all of his feelings as a potential source of anxiety, rather than having a useful or pleasurable purpose. Blocking out feelings becomes a way of managing the difficulty. Consequently traumatised children are often less able to notice and correctly understand the ordinary feelings of others around them. This causes obvious problems in relationships but also in other areas such as learning and processing information.

The Importance of Safety

The first thing traumatised children need is to be safe and secondly to feel safe. Safety is the foundation for all therapeutic work with traumatised children. Being safe is significantly different than feeling safe and it is important to be aware of both. For instance, we might ensure that a child is safe from harm but he might not trust us. To protect himself he will keep others at a distance by using various defensive strategies, which have been adopted as a survival mechanism;

- behaving in an aggressive, hostile, rejecting manner.
- becoming withdrawn.
- numbing all feelings.
- becoming manipulative to maintain a sense of control. Trauma is associated with terror, helplessness and having no control, so feeling in control can be especially important.

All of these behaviours, which are attempts to survive and protect the self, prevent people from feeling connected with the child in a meaningful way. Trauma-based behavior is functional at the time in which it develops as a response to threat. When a child or adult perceives a significant threat to their safety, instinctual survival mechanisms are triggered in the brain and body, such as fight-flight or freeze. This is functional and protective in the short-term, but if prolonged it becomes dysfunctional as it interferes with healthy development.

A consistent, predictable and stable environment plays an important role in helping the child to feel that things are familiar and safe.

Safety is also created by being reliable and consistent, with firm but non-punitive boundaries. It is especially important for traumatised children to experience clear and consistent boundaries, such as, the expectations around daily routine and the rules of the home. It is important to maintain boundaries, however difficult and challenging the child is. Behaviour can be firmly managed in a way that also shows empathy for the child. Gradually this will help him to feel secure and to develop a sense of trust. As van der Kolk et al. (2007, p.424) explain,

“Since interpersonal trauma tends to occur in contexts in which the rules are unclear, under circumstances that are secret, and in conditions where issues of responsibility are often murky, issues of rules, boundaries, contracts, and mutual responsibilities need to be clearly specified and adhered to (Kluft, 1990; Herman, 1992). Failure to attend strictly to these issues is likely to result in a recreation of aspects of the trauma itself in the therapeutic situation.”

An important part of the approach is to make it clear that we are ‘challenging the behaviour not the person’ (Barton, et al, 2011, p.82). One might say, ‘I don’t like you doing that because it hurts people’, rather than ‘I don’t like you because you hurt people’. Empathy can be shown with statements like, ‘I know you are feeling very upset but it isn’t ok to hit someone’. However, a simple message like this may be confusing to a child, who has been abused by his own parents. If we say it isn’t ok to hurt someone it raises the question, ‘why did my parents hurt me then?’ This may be one of the reasons why the child resists our attempts to establish what seem to be rational and helpful expectations and boundaries.

The Daily Routine

The daily routine is a central part of providing the predictable environment that is so important in helping traumatised children begin to feel safe. It helps to reduce anxiety and the need to be hypervigilant. Dissociation is a common feature of childhood trauma and leads to the loss of a continuous sense of time. Regular schedules and routines are essential in helping to restore this (van der Kolk, van der Hart and Marmar, 2007, p.321).

To begin with, rather than being concerned too much with communication at a deep level the focus should be on basic matters such as letting the child know;

- How the daily routine will work, especially mealtimes, bedtimes and waking. Healthy routines also help to reduce stress.
- The expectations around all aspects of living together.
- Who will be looking after him today and anything else that will take place?

Children may need reminding regularly of these things, as they may not be familiar with anything remaining consistent. The reliable daily routine and communication about it helps to reduce anxiety and improves the ability to regulate emotions.

Other helpful approaches include:

- Providing nurture and care without being too pushy or intrusive. The child may be very anxious about physical closeness with an adult.
- Paying attention to the child and listen carefully to his communication – verbal and non-verbal.
- Showing a healthy interest in the child, finding out what he likes, what he enjoys doing, what is important to him, etc.
- Doing pleasant activities and making plans together and generally building the conditions in which relationships can develop. Traumatized children often have significant relationship difficulties.
- Offering choices where possible. Having a sense of influence can be very important to traumatized children who have felt out of control and unable to escape frightening experiences.

Traumatized children often have their development disrupted at the age the trauma begins. For example, a 10 year old who was traumatized as an infant, may have a similar level of emotional regulation as a 2 year old. It would not be realistic to expect him to be able to think much about his feelings and to put them into words, when so much of his energy is used to manage overwhelming feelings and impulses.

An important task for adults working with such children is to co-regulate their emotions, by anticipating potential difficulties, explaining clearly what is

happening and by taking actions to reduce stress. To help frightened and anxious children to feel calm, first of all the adults need to feel and act calmly themselves (Perry and Szalavitz, 2006, p.67). To maintain a calm and emotionally containing approach it is essential that carers feel supported.

One of the realities of 'daily living' is that important communication often happens in a spontaneous rather than planned way. When a child has been abused and neglected in his family home, all aspects of daily living may have associations with trauma. This provides an opportunity to respond and potentially work through a traumatic experience. Ward (1996) has called this 'opportunity led' work.

Carers Communicating and Working Together

Before children can be expected to communicate, the adults who are looking after them need to become effective at communicating with each other. If we believe it is helpful for a child to communicate and that this might help him understand and manage himself better – we need to role model our belief in this by doing it for ourselves.

Communicating with each other will make a difference in our ability to work with the children. Sometimes this can be done together as a team, or as a small team when working with children. At other times it may be in a special context, such as a team meeting or supervision.

Thinking about the Meaning of Behaviour

All behaviour has meaning and can be considered as a significant form of communication. Babies and infants let us know what they are feeling and what they need without using words. An emotionally attuned parent can distinguish subtleties in what is being conveyed, e.g. tired, uncomfortable, scared, hungry, contented, etc., based on the infant's behaviour. It is only the parent's attuned and reliable response to this that enables him to begin the process of thinking about his feelings and needs, and then to find words to communicate with.

A child who is traumatised may never have developed the capacity to think about and communicate his feelings, or he may have lost this ability temporarily due to the impact of trauma. A common symptom of shock is not being able to communicate. A person who is in shock may appear to be in a 'frozen' state. It

isn't helpful to push them to talk before they are ready or capable. Often what is needed is to simply be with the person, providing a sense of security and continuity – during a time that is also one of loss and insecurity.

A traumatised child who in many ways is in a prolonged state of shock – may for different reasons not be able to talk about important personal matters. He may have no or little conscious memory of traumatic events. Traumatized people often spend much energy in keeping thoughts out of mind, due to the potential link to the trauma and pain that may be felt as a result of thinking. Therefore thinking may be perceived as a threat and actively resisted. van der Kolk and Newman (2007, p.18) point out that premature attempts to talk about matters related to the trauma may only make things worse.

Physical Mastery

Traumatized children often feel stigmatised as if they are different to other children – they need a 'sense of normalcy' (Anglin, 2002) of doing normal, ordinary things like all children. Rather than just focusing on the child's history, it is important to do things in the present that are normal, fun, and enjoyable – as we would with a child who hasn't experienced trauma. It has been said that trauma can take a child's childhood away – we need to enable a child to be a child.

The traumatic experiences can dominate the child's sense of who they are and they need ordinary experiences to create a more balanced and healthy identity. This can be done by playing games with children where they can use their bodies in a healthy way, also enabling them to develop interests and skills. For example,

- playing ball
- running
- dancing
- playing an instrument, singing
- skipping
- riding a bike
- using hands to paint, draw and make things
- Older children may also benefit from activities that give them a sense of growing up and being more in control, such as, gardening, car washing, shopping, etc.

These activities can also help develop a sense of physical mastery, which stimulates development and self-confidence, as well as the ability to relate to others. Activity that involves exercise also helps to reduce stress and depressive feelings. This can be approached in a way that helps children develop what they are good at and like, and to also learn new things. Developing interests and strengths can improve feelings of self-efficacy, which may also be transferable to other areas of the child's life.

Communication through our Actions

All of what has been discussed so far is a necessary context for focusing on verbal communication. Communication is already taking place, through our actions. These actions demonstrate care and concern to the child, and that they are worthy and deserving. The hundreds of little caring things done over and over again gradually enable children to develop trust.

“I also cannot emphasize enough how important routine and repetition are to recovery. The brain changes in response to patterned, repetitive experiences: the more you repeat something, the more engrained it becomes.” (Perry and Szalavitz, 2006, p.245).

However, we cannot expect that the child will necessarily accept our efforts – often it will be quite the opposite. It may feel as if we are getting it wrong and failing, that it is a hopeless situation and a waste of time. Sometimes just as things seem to be getting better they will get worse. Recovery from trauma is very much, two steps forward and one step back, or two steps back and one step forward! Long periods of time, months or even years can pass by where it seems like little progress is being made. For a traumatised child a little step forward can be the equivalent of a huge leap. We need to be patient and to continually try and understand why things are so difficult.

Symbolic Communication and Play

Play is a form of communication and essential to child development. It is a very significant way that a child,

- relates to others
- explores, discovers and learns
- works things out

However, traumatised children often have many difficulties with play and sometimes are not able to play. Often childhood trauma happens in a context of deprivation and the child may not have developed the capacity to play. The child may be deprived of playful interactions with a parent, so the child's development is inhibited. Trauma causes hypervigilance, withdrawal, dissociation, fear and a lack of security all of which are not supportive of play. Play involves imagination, which may lead the child back to the trauma, so imagination is a potential threat to be kept at bay. Therefore, enabling a child to play can be an important part of the recovery process. Just as in ordinary child development, a traumatised child will only be able to play once a safe and secure base has been established.

Young children often communicate using symbols, for example, through play or through drawing. Traumatized children may be functioning at an age that is younger than their chronological age. A child may convey how he feels by showing us the feeling in a symbolic way. For instance, a child who has a teddy may tell us that 'teddy' is feeling sad, or teddy isn't feeling well. When a child does this it is helpful to respond with the same symbolic language, such as, 'it can't be very nice for teddy to be feeling so sad – I wonder what has made him feel like that', or 'what can we do to help him feel better'.

It is important to work at the pace of the child, using the child's language. Play has been called the language of the child. There are many excellent ways of engaging children in play without primarily using words - using toys, puppets, play animals and figures, music and dance. All of these can be used creatively and provide ways for children to express themselves. For instance, play figures may be used by a child to create domestic scenes. Toys and other objects can be used to represent different emotions. Music such as drumming can be an excellent way of expressing powerful feelings. All of this kind of play and non-verbal communication, which as well as being enjoyable for the child, enables us to gain insights and to understand him better. In terms of understanding the child's play it can be helpful to have discussions in team meetings or supervision.

Working with Difficult Behaviour

Difficult behaviour can be used by the child as a way of controlling others. This type of control, which can cause us significant concern is often how the child tries to deal with his fears and anxieties related to trauma. To us the behaviour may

seem like a major nuisance - to the child it might be how he survives and copes with his fear of being out of control.

We might find ourselves feeling suddenly angry or punitive towards the child. It is very important to think about our own feelings, how they change when we are with the child and what might be learnt.

Some children try to disrupt adults who are talking together. From their experience this might mean something bad would happen next. Sometimes a child might feel that adults are more interested in each other rather than him – in his world this might feel like being neglected. A healthy alternative to the child's previous experiences is role modelled by talking and thinking together about him and his needs, but also being sensitive to how he might feel about this.

Verbal Communication

Research has shown that parents who talk a lot with children during the normal routine of the day, tend to have children who also talk more and develop bigger and more elaborate vocabularies (Hart and Risley, 1995). Talking is built into daily life by,

- explaining what is happening
- commenting on things the child does
- asking questions
- exploring things together
- linking cause and effect
- naming feelings

A healthy child is biologically programmed to respond and interact verbally,

“Ultimately, genes.....create needs which can be satisfied only by particular environments. Fish genes create organisms that need water. Monkey genes create organisms that need mothers to teach them how to behave. Human genes make organisms that need adults around in order to learn how to talk.” (Glantz and Pearce, 1989)

Children who are traumatised however, may not be used to talking or may have become defensive and wary of what they say. They may have very little

vocabulary that can be used to express their needs and feelings. When talking with these children they might not respond, or if they do respond it might be in unexpected ways, for example by becoming aggressive. It is important to persevere and to talk about things in a way that isn't too challenging. For instance, if a child says something that we don't agree with or understand – rather than disagree, we can ask a question and explore things. If a child makes a statement, such as 'Peter hit Paul', we can say something like, 'I wonder how that made Paul feel', or 'I wonder why Peter did that'. The child might not have an answer, but we are making the link between cause and effect, between actions and emotions. Traumatized children often have a difficulty in understanding the causality of their own actions. As a result of this and other difficulties trauma related difficulties, they may not understand how their actions affect other people and how other people feel. To help empathy to develop it is important to both show empathy towards the child and help him begin to think how others might be feeling.

Naming Feelings

It is important to help traumatized children to recognise and name their feelings. If a child is acting as if he is angry, one could say, 'I wonder whether when you behave like this you are feeling angry', or 'you seem to be feeling angry today'. This gradually helps him to find ways of expressing feelings through words rather than by acting out. A child who can begin to say things like, 'I feel so angry with Peter that I could hurt him' is making significant progress. He can then be helped to begin anticipating and taking responsibility for managing emotions and behaviour, 'Remember last time when you felt like this and you had a big fight, what can do to prevent that from happening'. Helping children to recognise and name different feelings can also be the beginning of being able to remember parts of a traumatic event and most importantly, the meaning and feelings associated with it.

Listening to Children

Often traumatized children, feel that if they say something it won't be listened to or that they might even be punished, so they think that communicating is a waste of time or even dangerous. Children who are abused are often threatened with frightening consequences should they tell anyone. A lot of support needs to be provided to help give children the confidence to communicate.

Really listening to children can be difficult. We might be distracted by other things and not paying full attention or we might feel anxious about what is being said. We also need to be open to children saying critical and difficult things to us as adults, being careful not to be defensive. It is important to remember that many children who have been abused, have experienced denial from adults who they have talked to. Whenever a child says anything significant it is important to show that the communication is taken seriously. This is empowering for the child who may begin to believe that he can make a difference by communicating. If we believe communication is important, children need to experience the positive benefits – that things can change for the better as a result of saying something. Feeling listened to, understood and taken seriously is a vital part of building self-esteem and resilience.

If we can really listen and be receptive to a child's communication he is more likely to tell us important things. As well as listening to children we need to pay attention to the non-verbal communication and the feelings evoked in us. This may tell us as much about the child as the words he uses.

Different Kinds of Communication

We all talk in a variety of ways;

- Chatter – where we are just talking about everyday matters without much feeling attached. However, it is also possible to chatter, with a real feeling of 'aliveness', which may be more important than the words. Part of communication can simply be about establishing a connection with another. Chatter can be used in this way - it can also be used to avoid connection.
- Talking about everyday matters with feeling – 'I really enjoyed our time together today', or 'that story made me feel really sad'.
- Talking about important personal matters, but in a matter of fact way without feeling, 'when I was young my dad used to hit me'.
- Talking about important personal matters with feeling, 'when I was young my dad used to hit me and it made me feel really scared'.
- Talking about important personal matters with feeling and insight, 'when I was young my dad used to hit me - it made me feel really scared and sometimes I'm still scared of men'.

A healthily developed person will be able to communicate to some extent on all these different levels and also understand the appropriate context for each of them. Most young children know the difference between things they would talk about with their parents, with friends, teachers, strangers, etc. In comparison, traumatised children may be very limited. They may only tend to chatter or if they are able to talk about more personal and intimate matters, they may not know how to do this appropriately. For instance, instead of making social chatter with someone they don't know very well, they may say something too personal or intimate. So as well as helping children learn how to communicate they need help to understand its social function.

Not Communicating

While this is an important and valid consideration it also paradoxical. Phillips (1996) points out,

“It's impossible to not communicate. You cannot be for it or against it. You can only do it more or less well – by your own standards or by other people's – but you can't not do it.”

Not communicating all depends on how it is perceived. For instance does it literally mean talking or not talking? Winnicott (1963) explained that it is important to consider both 'Communicating and Not Communicating'. This can be especially relevant to traumatised children. For all of us, ordinary healthy relating also requires spells of being quiet, from which conversation can flow, followed again by quiet when what has taken place can be thought about or forgotten. There is rhythm between communicating and not communicating. Traumatized children have often lost that rhythm and either can't stop or can't begin.

Another type of not communicating is a reaction to, or a way of negating, a difficult feeling. For example, a child might feel angry and not talk. However, he might convey his anger through silence. Another example, might be a child who feels happy but is afraid to show it, through fear of being rejected and hurt, and chooses to hide and not communicate the feeling of happiness. It is possible that the child might react so strongly and the happy feeling is completely negated.

A final form of not communicating is to do with the private and core self that would be too risky to share explicitly. There is an inner world, parts of which remain private. In relation to trauma, this core self may be especially vulnerable to feelings of shame and humiliation should someone attempt to expose this hidden part of the self. The need to protect the core self is a necessary part of health and identity. We need to be very respectful of this in work with children who may have had their personal boundaries transgressed and violated, in such frightening ways. Not communicating may be a positive step for the child towards establishing a sense of personal boundaries and authority.

These kinds of not communicating are to some extent assertive and a choice. This is different to the occasions where a child wishes to communicate but is unable due to distress or not having the words. If we think this is happening we need to consider whether it is best to be patient and wait, or whether we focus on helping the child communicate. If we have misunderstood and the child feels we are being too intrusive, the risk is that he becomes more defensive. On the other hand if the child needs help and we don't say anything, he might feel we are ignoring the issue or turning a 'blind eye' as people often do when it comes to seeing or hearing about child abuse. Maybe a way can be found of asking the child if he would like help to tell us something.

It can be difficult and we are left with our judgment based on how well we know the child.

Henry David Thoreau in 1849 made the interesting observation,

"In human intercourse the tragedy begins, not when there is misunderstanding about words, but when silence is not understood."

The Child's Stage of Development

During early infancy communication is primitive, through actions such as crying, then words are used to express feelings and needs, then this is done with some recognition that others also have needs and feelings. Finally the 'executive function' of the brain develops, enabling complex abstract concepts to be understood and communicated. This ability may only be fully realised in later childhood and continues to develop into adulthood.

Trauma can cause developmental delays as well as a regression to earlier stages of development. So if a child seems to be constantly chattering or saying very little, our response to this needs to be guided by understanding the child's actual ability. If the child is very young emotionally it might be unrealistic to expect that much can be achieved by in-depth discussions. It might be better to focus on other ways of communicating and on developing physical mastery rather than talking. A child may feel better by playing a game or doing something rather than by 'talking about his problems'. On the other hand if the child is reasonably well developed but always seems to chatter rather than talk about anything more meaningful, he may be avoiding something. This may be due to the potential distress involved, feeling unsafe or afraid of what might happen. Our task here is to help remove the block rather than put pressure on the child to say more. If the child doesn't feel safe, helping him to feel safe makes it more likely he will then be able to communicate.

It is also important to recognise that, whilst it may seem a child is chattering endlessly, if listened to carefully there may be details of what he says that have significant meaning. This may not be immediately obvious but through careful attention we may begin to make connections.

If we think that there are important things a child is potentially able to communicate, but is holding back, a thoughtful and gentle approach is needed. It may be extremely tolerate painful and distressing issues. Once the child begins to share thoughts, as well as the painful memories being activated, other feelings will be brought to the surface, such as anger, shame, guilt and sadness. Trauma also involves loss and this can be very difficult to acknowledge. The child's feelings might be very confused and distorted. For instance, feeling guilt about the abuse, as if it was his responsibility. Working through these issues, requires time, understanding and patience.

As well as the communication being potentially distressing for the child we need to be aware that some of the things we hear may also be distressing for us. To help process our experience of the child it is very important to talk about our own feelings with colleagues. Otherwise we are more likely to prevent a child from communicating due to our own fear of the feelings it will raise for us. The support needs of those working with traumatised children are of vital importance and a

central part of that support is providing those involved with the opportunity to talk and communicate with each other.

References

This article has been developed from a version published in, *The goodenoughcaring Journal*, Vol. 14, December 2013, www.goodenoughcaring.com

Anglin, J. (2002) *Pain, Normality, and the Struggle for Congruence: Reinterpreting Residential Care for Children and Youth*, New York: The Haworth Press Inc.

Barton, S., Gonzalez, R. and Tomlinson, P. (2011) *Therapeutic Residential Care for Children and Young People: An Attachment and Trauma-informed Model for Practice*, London and Philadelphia: Jessica Kingsley Publishers

Glantz, K. and Pearce, J.K. (1989) *Exiles from Eden: Psychotherapy from an Evolutionary Perspective*, New York and London: W.W. Norton and Company

Hart, B., and Risley, T.R. (1995) *Meaningful Experiences in the Everyday Experiences of Young American Children*, Baltimore, MD: Paul H. Brookes Publishing Co., Inc.

Perry, B.D. and Szalavitz, M. (2006) *The Boy who was Raised as a Dog: And Other Stories from a Child Psychiatrist's Notebook* New York: Basic Books

Phillips, A. (1996) *Monogamy* London and Boston: Faber and Faber

Thoreau, H.D. (Author), Hovde, C.F. (Ed) Howarth, W.L (Ed) and Hall Witherell, E. (Ed) (2004) *A Week on the Concord and Merrimack Rivers*, Princeton University Press

van der Kolk, B.A., van der Hart, O. and Marmar, C.R. (2007) *Dissociation and Information Processing in Posttraumatic Stress Disorder, Traumatic Stress: The Effects of Overwhelming Experience on Mind, Body and Society* New York: The Guildford Press

Ward, A. (1996) Opportunity led work part 2: the framework, in *Social Work Education*, 8 (1), 67–78

Winnicott, D.W. (1963) Communicating and not Communicating Leading to a Study of Certain Opposites, in Winnicott, D.W. (1990) *The Maturation Processes and the Facilitating Environment*, London and New York: Karnac